



2015 PRODUCT CATALOG

# ABOUT US

Advantage Light Source was founded over a decade ago with a focus on providing professional grade landscape lighting products to the industry at reasonable price points. Today, Advantage has become a leading manufacturer of landscape lighting fixtures with an extensive network of Irrigation and Electrical distribution partners in North America.

This new 2015 product catalog represents years of hard work and determination...and is a testament to our single focus on building the lighting industry's most complete line of well priced high end outdoor landscape lighting. Our passion and commitment to quality remains true while our focus has expanded to include progressive innovation as we manufacture energy efficient landscape lighting.

In 2012 we introduced our full line of All Brass Integrated LED Landscape Lighting under the brand name "VERSA-LED by ADVANTAGE LIGHT SOURCE". VERSA-LED has quickly become the industry's most innovative professional grade LED landscape lighting line. VERSA-LED has combined Advantage's best selling heavy duty CAST BRASS housings with the very best in energy efficient LED technology...and the result has set the bar high in our industry!

New innovations, such as our patent pending "Tri-Optic Collimator" lens system along with our American made LED components and in-house quality control and assembly...all backed by an industry leading ten YEAR warranty...VERSA-LED has positioned itself in a class of its own.

The future looks bright for Advantage Light Source and VERSA-LED as we continue to stay true to our mission:

**Exceptional Quality - Energy Efficiently Innovation - Outstanding Value - Unparalleled Service**



## CONTACT US

(c) 2015 Advantage Light Source, Inc.  
Specifications herein are subject to change without notice  
21624 Marilla Street • Chatsworth, CA 91311 - (818) 407-4300 - FAX: (818) 407-4311

[www.advantagelightsource.com](http://www.advantagelightsource.com)  
[sales@advantagelightsource.com](mailto:sales@advantagelightsource.com)

## TABLE OF CONTENTS

"THE ORIGINAL" BIG SMOKY SERIES	3-4
DIRECTIONAL + FLOOD	5
IN GROUND WELL LIGHTS	6
VERSATILE PATH SYSTEM (V.P.S.)	7-8
AREA + PATH LIGHTING	9
STEP + DECK LIGHTING	10
VERSA LED SERIES	11-16
FOUNTAIN + UNDERWATER	17
LOW VOLTAGE PROFESSIONAL GRADE TRANSFORMERS	18
ACCESSORIES	18



Landscape lighting project photos courtesy of: Heads Up Lighting LLC and Southern Lights of Raleigh Inc.

## KEY TO ABBREVIATIONS

<b>FL</b> : FLOOD LIGHT	<b>B</b> : BRASS
<b>AP</b> : AREA + PATH	<b>A</b> : ALUMINUM
<b>DL</b> : DOWN LIGHT	<b>C</b> : COPPER
<b>PS</b> : PATH SYSTEM	<b>SS</b> : STAINLESS STEEL
<b>H</b> : HANGING PENDANT	<b>P</b> : PVC COMPOSITE
<b>SD</b> : STEP + DECK	<b>NBZ</b> : NATURAL BRONZE
<b>IG</b> : IN GROUND	<b>NB</b> : NATURAL BRASS
<b>H2O</b> : UNDERWATER	<b>RC</b> : RAW COPPER
<b>TR</b> : TRANSFORMER	<b>BK</b> : BLACK
<b>AX</b> : ACCESSORY	<b>BZ</b> : BRONZE POWDERCOAT
<b>WT</b> : WHITE	<b>VG</b> : VERDE GREEN
<b>PBZ</b> : PLATED BRONZE	<b>RI</b> : RUSTY IRON

*Standard finishes available per item. Our standard finish, NBZ, is the default finish and not found in the part number (where applicable).*

## WHAT IS CAST BRASS?

Advantage Light Source CAST BRASS is the sign of long life and durability. Most of our Landscape Lighting and VERSA-LED housings are constructed using the Brass Casting process. With only the highest grade Copper and Brass metals used, our Cast Brass fixture housings can and will hold up in even the harshest environments. Our Cast Brass fixtures will not rust or corrode...and this is why they are confidently backed by our industry leading Lifetime Warranty.

Advantage Light Source is proud to be the **FIRST AND ONLY** manufacturer of the Industry's most Versatile Directional Spot/Flood Light fixture...**THE BIG SMOKY!**

Many have copied us...but there can be only **ONE ORIGINAL...AND THAT'S THE ADVANTAGE LIGHT SOURCE "BIG SMOKY" SERIES.**

Preferred for its highly durable and heavy-duty cast brass material, The "Big Smoky" is clearly one of the most innovative and contractor friendly outdoor light fixtures ever introduced to the Landscape Lighting Industry.

With a completely "Tool-Less" design, each of the individual fixtures in the Big Smoky Series comes complete with all of these innovative features:

- A multi-position adjustable swivel/knuckle
- Compact two piece threaded and sealed body construction
- High temperature weather resistant silicone O-Ring gasket
- Anti-siphon bottom plug to prevent water and insect intrusion
- Clear tempered flush glass or Convex lens eliminates "hard water" build up
- Fully adjustable 360 degree Glare Shield with two brass slotted thumb screws for setting shield position



**BIG SMOKY**  
**ADV-FL-105B-MR16**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Convex  
Lead Wire: 3ft 16 awg SPT-1  
Dimensions: 6-1/2"h x 2-3/8"w  
Max Lamp: 50w MR16  
Mounting Option: 8" PVC Stake included



**LITTLE SMOKY**  
**ADV-FL-104B-MR11**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Flat Tempered  
Lead Wire: 3ft 18 awg SPT-1  
Dimensions: 4-1/2"h x 1-5/8"w  
Max Lamp: 35w MR11  
Mounting Option: 8" PVC Stake included



*The Original "Big Smoky" can be combined with numerous accessories to provide incredible illumination in just about any landscape lighting application!*



**DOWN LIGHT BIG SMOKY**  
**ADV-DL-105B-MR16-25**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Convex  
Lead Wire: 25ft 16 awg SPT-1  
Dimensions: 8-1/2h x 2-3/8w  
Max Lamp: 50w MR16  
Mounting Option: AX-804B included



**DOWN LIGHT LITTLE SMOKY**  
**ADV-DL-104B-MR11-25**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Tempered  
Lead Wire: 25ft 16 awg SPT-1  
Dimensions: 4-1/2h x 1-5/8w  
Max Lamp: 35w MR11  
Mounting Option: AX-804B



**BIG SMOKY PATH**  
**ADV-PS-105B-MR16**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Convex  
Lead Wire: 3ft 16 awg SPT-1  
Dimensions: 24h x 3w  
Max Lamp: 50w MR16  
Mounting Option: 9"PVC Stake included



**LITTLE SMOKY PATH**  
**ADV-PS-104B-MR11**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Flat Tempered  
Lead Wire: 3ft 18 awg SPT-1  
Dimensions: 24h x 3w  
Max Lamp: 35w MR11  
Mounting Option: 9"PVC Stake included



**BIG SMOKY TWIN PATH**  
**ADV-PS-205B-MR16**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Convex  
Lead Wire: 3ft 2x 16 awg SPT-1  
Dimensions: 24h X 6w  
Max Lamp: 50w MR16  
Mounting Option: 9"PVC Stake included



**LITTLE SMOKY TWIN PATH**  
**ADV-PS-204B-MR11**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Flat Tempered  
Lead Wire: 3ft 2x 18awg SPT-1  
Dimensions: 5-1/2h x 1-5/8w  
Max Lamp: 35w MR11  
Mounting Option: 9"PVC Stake included



**CAST MICRO BULLET**  
**ADV-FL-288B-MR16**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Convex  
Lead Wire: 3ft 16 awg SPT-1  
Dimensions: 4-3/4" h x 2-1/8" w  
Max Lamp: 35w MR16  
Mounting Option: 8" PVC Stake included



**LUNA GRANDE**  
**ADV-FL-175B-MR16**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Clear Tempered  
Lead Wire: 3ft 16 awg SPT-1  
Dimensions: 9" h x 4" w  
Max Lamp: 75w MR16  
Mounting Option: 9" PVC Stake included



**E.T. WALL WASHER**  
**ADV-FL-113B-T3**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Frost, Clear or Linear  
Lead Wire: 3ft 16 awg SPT-1  
Fixture Dimensions: 4-1/2" w x 3" h  
Max Lamp: 35w T3 (20w T3 included)  
Mounting Option : 8" PVC Stake included



**LARGE**  
**E.T. WALL WASHER**  
**ADV-FL-613B-T3**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Frost, Clear or Linear  
Lead Wire: 3ft 16 awg SPT-1  
Dimensions: 5-1/2" w x 2-1/2" h  
Max Lamp: 50w T3 (35w T3 included)  
Mounting Option: 9" PVC Stake included



**CAST BRASS CUBAN**  
**ADV-FL-917B-PAR36-25**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Tempered  
Lead Wire: 3ft 16 awg SPT-1  
Dimensions: 4" h x 5" w  
Max Lamp: 50w Par36  
Mounting Option: 9" PVC Stake included



120V

**ADV-FL-120B-PAR20**

Material: Brass  
Finish: Natural Bronze (NBZ)  
Lens: Clear Tempered  
Lead Wire: 3ft 18 awg SPT-2  
Dimensions: 8-1/2" h x 3-1/2" w  
Max Lamp: 50w 120v par20  
Mounting Option: 1/2" NPT threading

**ADV-FL-130B-PAR30**

Material: Brass  
Finish: Natural Bronze (NBZ)  
Lens: Clear Tempered  
Lead Wire: : 3ft 18 awg SPT-2  
Dimensions: 9-1/2" h x 4-3/4" w  
Max Lamp: 75w 120v par30  
Mounting Option: 1/2" NPT threading

**ADV-FL-138B-PAR38**

Material: Brass  
Finish: Natural Bronze (NBZ)  
Lens: Clear Tempered  
Lead Wire: : 3ft 18 awg SPT-2  
Dimensions: 11-1/2" h x 6-1/4" w  
Max Lamp: 100w 120v par38  
Mounting Option: 1/2" NPT threading





**PAR WELL**  
**ADV-IG-300P-PAR36**

Material: ABS/SS  
Finish: Black  
Lead Wire: 3ft 18 AWG SPT-1  
Dimensions: 8"h x 5-1/2"w  
Max Lamp: 50w par 36  
Aiming: Stainless steel adjustable gimbel rotates side to side and/or up and down.

**COMPOSITE WELL LIGHT**  
**ADV-IG-651P-MR16-12V**  
**ADV-IG-650P-MED-120V**

Material: Composite  
Finish: Bronze (BZ)  
Dimensions: 10"h x 5"w (bottom) x 6-5/8" w/top  
Max Lamp: 75w 12V MR16 or 100w 120V PAR38



\*Both covers included.

## well trim covers



ADV-IG-302P-PG



ADV-IG-303B-BG



ADV-IG-304B-DG



ADV-IG-344B-GS



ADV-IG-50B



ADV-IG-51B



ADV-IG-52B



ADV-IG-53B



ADV-IG-55B



ADV-IG-56B

multi cover application



**UNIVERSAL IN-GROUND MR16**  
**ADV-IG-00P-MR16**

Material: Composite with ABS outer sleeve  
Finish: BK  
Lead Wire: 3ft 18awg SJT cord  
Dimensions: 5"h x 4"w  
Max Lamp: 20w MR16


CAST BRASS



**UNIVERSAL IN-GROUND MR16**  
**ADV-IG-00B-MR16**

Material: Cast Brass  
Finish: Raw Brass  
Lead Wire: 3ft 18awg SJT cord  
Dimensions: 5"h x 4"w  
Max Lamp: 35w MR16

\*For Universal In-Ground MR16 order cover with housing



MULTIPLE DECORATIVE SHADES TO CHOOSE FROM

\* Please note: Advantage Versatile Path System must be ordered with a stem and shade separately. 25' leads pre-installed at the factory –order #AX-16-2-25.





CAST BRASS

**LUNA CLASSICO SHADE**  
**ADV-AP-01B**  
**ADV-AP-01C**

Shade Diameter: 7"  
 Light Spread: 7-9ft



**LUNA BONITA SHADE**  
**ADV-AP-02B**

Shade Diameter: 7.5"  
 Light Spread: 8-10ft



**LUNA PERFECTO SHADE**  
**ADV-AP-03B**  
**ADV-AP-03C**

Shade Diameter:  
 Top Tier 5" Bottom Tier 9"  
 Light Spread: 9-11ft



CAST BRASS

**LUNA JARDIN SHADE**  
**ADV-AP-08B**  
**ADV-AP-08C**

Shade Diameter: 6.75"  
 Light Spread: 7-9ft



CAST BRASS

**PETITE FLORES SHADE**  
**ADV-AP-11B**  
**ADV-AP-11C**

Shade Diameter: 5.25"  
 Light Spread: 5-7ft



CAST BRASS

**LUNA FLORES SHADE**  
**ADV-AP-12B**  
**ADV-AP-12C**

Shade Diameter: 8"  
 Light Spread: 8-10ft



**MICA AMBER SHADE**  
**ADV-AP-21B**  
 MICA AMBER GLASS


Shade Diameter: 8.25"  
 Light Spread: 8-10ft



**OPAL SWIRL GLASS SHADE**  
**ADV-AP-22B**  
 OPAL SWIRL FROST GLASS

Shade Diameter: 8.25"  
 Light Spread: 8-10ft

*The industry's first 12v center stem path system offering a versatile selection of heavy duty decorative shades.*



**PETITE LUNA CLASSICO**  
**ADV-AP-200B-T3**

Material: Cast Brass  
 Finish: Natural Bronze (NBZ)  
 Lens: Hi Temperature Poly Carbonate Tube  
 Lead Wire: 3ft 16 awg SPT-1  
 Dimensions: 21" h x 4-1/4" w  
 Max Lamp: 20w T3 Included  
 Mounting Option/Application: 9" PVC Stake included  
 Light Spread: 6ft




**LUNA CLASSICO**  
**ADV-AP-201B-T3**

Material: Cast Brass  
 Finish: Natural Bronze (NBZ)  
 Lens: Hi Temperature Poly Carbonate Tube  
 Lead Wire: 3ft 16 awg SPT-1  
 Dimensions: 22" h x 6-1/2" w  
 Max Lamp: 20w T3 Included  
 Mounting Option/Application: 9" PVC Stake included  
 Light Spread: 8ft



**LUNA ESCORT**  
**ADV-AP-214B-T3**

Material: Brass  
 Finish: Natural Bronze (NBZ)  
 Lens: Convex w/ Frost Sprinkler Guard  
 Lead Wire: 3ft 16 awg SPT-1  
 Dimensions: 24" h x 5-1/2" w  
 Max Lamp: 20w T3 Included  
 Mounting Option/Application: 9" PVC Stake included  
 Light Spread: 8-15ft



**E.T. PATH LIGHT**  
**ADV-PS-113B-T3**

Material: Cast Brass  
 Finish: Natural Bronze (NBZ)  
 Lens: Frost, Clear or Linear  
 Lead Wire: 3ft 16 awg SPT-1  
 Fixture Dimensions: 4-1/2" w x 3" h (22" Post)  
 Max Lamp: 35w T3 (20w T3 Included)  
 Mounting Option/Application: 9" PVC Stake included  
 Light Spread: 6-8ft



*Custom stem heights available.  
 Call your authorized Advantage Light Source distributor or representative for details.*



**SINGLE RECESSED BOX**  
**ADV-SD-400B-SC**

Material: Brass  
 Finish: Raw Brass  
 Lead Wire: 3ft 18 AWG SPT-1  
 Dimensions: 2-1/2" h x 4-1/2" w x 2-1/4" d  
 Max Lamp: 26w Single Contact  
 (1x13w Included)  
 Cover Size: 5-1/2" w x 2-7/8" h



**DOUBLE RECESSED BOX**  
**ADV-SD-403B-SC**

Material: Brass  
 Finish: Raw Brass  
 Lead Wire: 3ft 18 AWG SPT-1  
 Dimensions: 2-1/2" h x 8" w x 2-1/4" d  
 Max Lamp: 52w Single Contact (2x26w)  
 (2x13w included)  
 Cover Size: 9-1/2" w x 3" h



**ADV-SD-401B**  
 Material: Brass  
 Lens: Clear



**ADV-SD-404B**  
 Material: Brass  
 Lens: Clear



**ADV-SD-402B**  
 Material: Brass  
 Lens: Frost



**ADV-SD-405B**  
 Material: Brass  
 Lens: Frost

**EYEBROW**

**ADV-SD-406B-T3**

Material: Cast Brass  
 Finish: Natural Bronze (NBZ)  
 Lens: Frost Tempered  
 Lead Wire: 3ft 18 AWG SPT-1  
 Dimensions: 3-1/2" diameter x 2" h  
 Max Lamp: 20w T3 included

CAST BRASS




**GRILL**

**ADV-SD-407B-T3**

Material: Cast Brass  
 Finish: Natural Bronze (NBZ)  
 Lens: Frost Tempered  
 Lead Wire: 3ft 18 AWG SPT-1  
 Dimensions: 3-1/2" diameter x 1-1/2" h  
 Max Lamp: 20w T3 included

CAST BRASS





*The most efficient, innovative and versatile integrated yet fully replaceable LED landscape fixtures in the landscape lighting industry.*

- OPERATES EFFICIENTLY BETWEEN 9v-24v A/C or DC
- ALL BRASS HOUSING WITH LIFETIME WARRANTY
- 10 YEAR WARRANTY ON LED COMPONENTS
- FULLY POTTED INTEGRATED DRIVER TO WITHSTAND THE HARSHTEST ELEMENTS
- PATENT PENDING OPTIC DESIGN

*\*Patent pending optic system, additional gaskets and spare parts. High end gel filled wire connectors included with every VERSA LED fixture at no extra cost.*

*Easy tool-less "Snap-In". Secondary optics included.*

## PATENT PENDING TRI-OPTIC COLLIMATOR LENS SYSTEM



**WIDE 60° BEAM SPREAD**  
BASE OPTIC (INSTALLED)



**MEDIUM 35° BEAM SPREAD**  
OPTIONAL SECONDARY OPTIC



**NARROW 15° BEAM SPREAD**  
OPTIONAL SECONDARY OPTIC

## FILTERS/ACCESSORIES

- GEL FILMS
- FROST
- AMBER
- RED
- GREEN
- BLUE



**LED BIG SMOKY**  
**ADV-LED-FL-105B-6w**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Flat tempered  
Wattage: 6w (35-42w Halogen equiv.)  
Color Temperature: 3000K  
Optics: 60° "base optic" (installed) w/ 35° & 15° secondary optic collimators included  
Mounting Options: 8" PVC Stake included  
Dimensions: 6-1/2"h x 2-3/8"w



**LED LITTLE SMOKY**  
**ADV-LED-FL-104B-2w**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Flat tempered  
Wattage: 2w (20w Halogen equiv.)  
Color Temperature: 3000K  
Optics: 60° "base optic" (installed) w/ 35° & 15° secondary optic collimators included  
Mounting Option: 8" PVC Stake included  
Dimensions: 4-1/2"h x 1-5/8"w



**LED BIG SMOKY DOWNLIGHT**  
**ADV-LED-DL-105B-6w**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lead Wire: 25ft 16awg SPT-1  
Lens: Flat Tempered  
Wattage: 6w (35-42w Halogen equiv.)  
Color Temperature: 3000K  
Optics: 60° "base optic" (installed) w/ 35° & 15° secondary optic collimators (included)  
Mounting Option: AX-804B mounting base included  
Dimensions: 8-1/2"h x 2-3/8"w



**LED LITTLE SMOKY DOWNLIGHT**  
**ADV-LED-DL-104B-2w**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lead Wire: 25ft 16awg SPT-1  
Lens: Flat Tempered  
Wattage: 2w (20w Halogen equiv.)  
Color Temperature: 3000K  
Optics: 60° "base optic" (installed) w/ 35° & 15° secondary optic collimators (included)  
Mounting Option: AX-804B mounting base included  
Dimensions: 5-1/2"h x 1-5/8"w



**LED 2w E.T. WALL WASH/FLOOD**  
**ADV-LED-FL-113B-2w**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Clear Tempered Installed (Frost optional)  
Wattage: 2w (20w Halogen equiv.)  
Color Temperature: 3000K  
Optics: N/A  
Mounting Option: 8" PVC Stake included  
Dimensions: 3"h x 4-1/2"w  
Light Spread: 8-10ft



**LED 6w E.T. WALL WASH/FLOOD**  
**ADV-LED-FL-113B-6w**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lens: Clear tempered installed (frost optional)  
Wattage: 6w (35-42w Halogen equiv.)  
Color Temperature: 3000K  
Optics: N/A  
Mounting Option: 8" PVC Stake included  
Dimensions: 3"h x 4-1/2"w  
Light Spread: 8-10ft

CAST BRASS



**ADV-LED-AP-00B-2w**

CAST BRASS



**LUNA CLASSICO SHADE**  
**ADV-AP-01B**  
**ADV-AP-01C**

Shade Diameter: 7"  
Light Spread: 7-9ft



**ADV-LED-AP-00B-2w**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lead Wire: 3ft 18 awg SPT-1  
Wattage: 2w (20w Halogen equiv.)  
Color Temp: 3000K  
Optics: N/A  
Lens: Clear Acrylic  
Mounting: 9" PVC Stake  
Dimensions: 24"h



**LUNA PERFECTO SHADE**  
**ADV-AP-03B**  
**ADV-AP-03C**

Shade Diameter:  
Top Tier 5" Bottom Tier 9"  
Light Spread: 9-11ft

CAST BRASS



**LUNA JARDIN SHADE**  
**ADV-AP-08B**  
**ADV-AP-08C**

Shade Diameter: 6.75"  
Light Spread: 7-9ft



**PETITE FLORES SHADE**  
**ADV-AP-11B**  
**ADV-AP-11C**

Shade Diameter: 5.25"  
Light Spread: 5-7ft

CAST BRASS



**LUNA FLORES SHADE**  
**ADV-AP-12B**  
**ADV-AP-12C**

Shade Diameter: 8"  
Light Spread: 8-10ft

**ADV-LED-AP-00B-2w-SHORT**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lead Wire: 3ft 18 awg SPT-1  
Wattage: 2w (20w Halogen equiv.)  
Color Temp: 3000K  
Optics: N/A  
Lens: Clear Acrylic  
Mounting: 9" PVC Stake  
Dimensions: 15"h



**MICA AMBER SHADE**  
**ADV-AP-21B**  
MICA AMBER GLASS

Shade Diameter: 8.25"  
Light Spread: 8-10ft



**OPAL SWIRL GLASS SHADE**  
**ADV-AP-22B**  
OPAL SWIRL FROST GLASS

Shade Diameter: 8.25"  
Light Spread: 8-10ft

\* Please note: Advantage Versatile Path System must be ordered with a stem and shade separately. 25' leads pre-installed at the factory - order #AX-16-2-25.

MULTI COVER APPLICATION



**ADV-IG-50B**



**ADV-IG-51B**



**ADV-IG-52B**



**ADV-IG-53B**



**ADV-IG-55B**



**ADV-IG-56B**

CAST BRASS

\*\*Order cast brass LED well light covers separately

**2w LED ADJUSTABLE WELL LIGHT**

**ADV-LED-IG-00P-2w**

Material: Composite w/ ABS outer sleeve  
Finish: Black  
Lens: Tempered glass included w/ cover  
Wattage: 2w (20w Halogen equiv.)  
Color Temperature: 3000K  
Optics: 60° "base optic" (installed) w/ 35° & 15° secondary optic collimators (included)  
Dimensions: 5"h x 4"w  
**LED Component Adjustable up to 35°**

  
adjustment up to 35°



  
adjustment up to 20°



CAST BRASS

**6w LED ADJUSTABLE WELL LIGHT**

**ADV-LED-IG-00B-6w**

Material: Cast Brass w/ ABS Outer Sleeve  
Finish: Raw Brass  
Lens: Tempered glass included w/ cover  
Wattage: 6w (35-42 Halogen equiv.)  
Color Temperature: 3000K  
Optics: 60° "base optic" (installed) w/ 35° & 15° secondary optic collimators (included)  
Dimensions: 5"h x 4"w  
**LED Component Adjustable up to 20°**

- FULLY PODED/SEALED WIRE EXIT
- OPERATES EFFICIENTLY BETWEEN 9V-24V



OPTIONAL ALL BRASS CONCRETE POUR HOUSING



**IG-00B-PH-BRASS**

Optional Raw Brass pour housing for MR16 Well Light for "Flush" mounting



**LED LITTLE SMOKY PATH**  
**ADV-LED-PS-104B-2w**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lead Wire: 3ft 18 awg SPT-1  
Lens: Flat Tempered  
Wattage: 2w (20w Halogen equiv.)  
Color Temperature: 3000K  
Optics: 60° "base optic" (installed) w/ 35° & 15° secondary optic collimators (incl.)  
Mounting Option: 9" PVC Stake included  
Dimensions: 4-1/2"h x 1-5/8"w (24" post)



**LED BIG SMOKY PATH**  
**ADV-LED-PS-105B-6w**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lead Wire: 3ft 16awg SPT-1  
Lens: Flat Tempered  
Wattage: 6w (35-42 Halogen equiv.)  
Color Temperature: 3000K  
Optics: 60° "base optic" (installed) w/ 35° & 15° secondary optic collimators (included)  
Mounting Option: 9" PVC Stake included  
Dimensions: 6-1/2"h x 2-3/8"w (24" post)



**2W LED E.T. PATH LIGHT**  
**ADV-LED-PS-113B-2w**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lead Wire: 3ft 18 awg SPT-1  
Lens: Clear tempered installed (frost optional)  
Wattage: 2w (20w Halogen equiv.)  
Color Temperature: 3000K  
Optics: N/A  
Mounting Option: 9" PVC Stake included  
Dimensions: 3"h x 4-1/2"w (22" Post)  
Light Spread: 6-8ft



**6W LED E.T. PATH LIGHT**  
**ADV-LED-PS-113B-6w**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lead Wire: 3ft 18 awg SPT-1  
Lens: Clear tempered installed (Frost optional)  
Wattage: 6w (25-42 Halogen equiv.)  
Color Temperature: 3000K  
Optics: N/A  
Mounting Option: 9" PVC Stake included  
Dimensions: 3"h x 4-1/2"w (22" Post)  
Light Spread: 6-8ft



**LED LITTLE SMOKY TWIN PATH**  
**ADV-LED-PS-204B-4w**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lead Wire: 2x 3ft 18 awg SPT-1  
Lens: Flat Tempered  
Wattage: 2pcs 2w (20w Halogen equiv. each)  
Color Temperature: 3000K  
Optics: 60° "base optic" (installed) w/ 35° & 15° secondary optic collimators (included)  
Mounting Option: 9" PVC Stake included  
Dimensions: 4-1/2"h x 1-5/8"w (24" post)



**LED BIG SMOKY TWIN PATH**  
**ADV-LED-PS-205B-12w**

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lead Wire: 2x 3ft 16 awg SPT-1  
Lens: Flat Tempered  
Wattage: 2pcs 6w (35-42 Halogen equiv. each)  
Color Temperature: 3000K  
Optics: 60° "base optic" (installed) w/ 35° & 15° secondary optic collimators (included)  
Mounting Option: 9" PVC Stake included  
Dimensions: 6-1/2"h x 2-3/8"w (24" post)



## SOLID BRASS "UNDER CAP" LED HARDSCAPE FIXTURE



### LED 5" UNDER CAP ADV-LED-UC-5"-3w

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lead Wire: 10ft 18 awg SPT-1  
Lens: Frost Polycarbonate  
Wattage: 3w (25w Halogen equiv.)  
Color Temperature: 3000K  
Optics: N/A  
Mounting Option: 3-1/2" rounded in wall plate  
Dimensions: 5" x 1" x 1"



- 10ft 18/2 WIRE LEADS FOR EASY INSTALLATION
- 1"h x 1" d x 5"w or 10" w SLIM LINE CONSTRUCTION
- POLYCARBONATE LIGHT DIFFUSER FOR MAXIMUM OUTPUT AND SPREAD
- 3-1/2" IN-WALL SEMI CIRCULAR MOUNTING PLATE FOR EASY INSTALLATION IN NEW AND EXISTING HARDSCAPES
- MULTIPLE MOUNTING ACCESSORIES AVAILABLE
  - UNDERCAP
  - FLUSH WALL
  - UNDER RAIL/COPING

### MOUNTING OPTIONS



**UC-5"-TOP STRIP BRACKET**



**UC-10"-TOP STRIP BRACKET**

*\*\*Both 5" and 10" LED undercap fixtures come standard with bent mounting plate.*



### LED 10" UNDER CAP ADV-LED-UC-10"-6w

Material: Cast Brass  
Finish: Natural Bronze (NBZ)  
Lead Wire: 10ft 18 awg SPT-1  
Lens: Frost Polycarbonate  
Wattage: 6w (35-42w Halogen equiv.)  
Color Temperature: 3000K  
Optics: N/A  
Mounting Option: 4" rectangular in wall plate  
Dimensions: 10" x 1" x 1"



*The most innovative solid brass LED under capstone hardscape fixture in the industry.*



FORGED BRASS

LED OPTION

**BRASS NEPTUNE**  
**ADV-H20-502B-MR16**

Material: Brass  
Finish: Raw Brass  
Lead Wire: 25ft SJT Cord  
Lens: Clear Tempered  
Dimensions: 5"h x 3-1/2"w  
Max Lamp: 50w MR16



FORGED BRASS

LED OPTION

**BRASS NEPTUNE WITH SHIELD**  
**ADV-H20-505B-MR16**

Material: Brass  
Finish: Raw Brass  
Lead Wire: 25ft SJT Cord  
Lens: Clear Tempered  
Dimensions: 6-1/4"h x 3-1/2"w  
Max Lamp: 50w MR16

## LED LANDSCAPE RETRO-FIT LIGHT BULBS

Designed and built specifically for fully enclosed landscape lighting fixtures.

12V AC or DC • 10v-15v OPERATING RANGE • Warm White = 2700k-2800K



**LED-MR11-2.5w-WW-30°**



**LED-MR16-5w-WW-15°**  
**LED-MR16-5w-WW-30°**  
**LED-MR16-5w-WW-60°**



**LED-PAR36-10w-WW-38°**  
**LED-PAR36-10w-WW-60°**  
**LED-PAR36-13w-WW-38°**  
**LED-PAR36-13w-WW-60°**



**LED-T3-2w-WW**



**LED-T3-3w-WW**



**LED-SC BAY-2w-WW**

\*All LED landscape retro-fit light bulbs have been manufactured to fit most landscape lighting fixtures appropriately.

## 12-15V MULTI-TAP TRANSFORMERS

### ADV-TR-300w-1215-SS

Volts: 12-15 / Watts: 300 / Weight 18lbs  
Dimensions: 14"l x 5.25"w x 4.75"d

### ADV-TR-600w-1215-SS

Volts: 12-15 / Watts: 600 / Weight 24lbs  
Dimensions: 14"l x 5.25"w x 4.75"d

### ADV-TR-900w-1215-SS

Volts: 12-15 / Watts: 900 / Weight 31lbs  
Dimensions: 19"l x 6"w x 5.5"d

### ADV-TR-1200w-1215-SS

Volts: 12-15 / Watts: 1200 / Weight 41lbs  
Dimensions: 19"l x 6"w x 5.5"d

*\*All Stainless Steel, Photocell + Timer Ready*



ADV-TR-300w-1215-SS

## 12-22V MULTI-TAP TRANSFORMERS

### ADV-TR-600w-1222-SS

Volts: 12-22 / Watts: 600 / Weight 30lbs  
Dimensions: 14"l x 5.25"w x 4.75"d

### ADV-TR-900w-1222-SS

Volts: 12-22 / Watts: 900 / Weight: 47lbs  
Dimensions: 19"l x 6"w x 5.5"d

### ADV-TR-1200w-1222-SS

Volts: 12-22 / Watts: 1200 / Weight 49lbs  
Dimensions: 19"l x 6"w x 5.5"d

*\*All Stainless Steel, Photocell + Timer Ready*



ADV-TR-600w-1222-SS

## LED TRANSFORMERS



### ADV-TR-LED-75w-12/15-SS

Volts: 12 & 15 / Watts: 75 / Weight 5.5lbs  
Dimensions: 6.5"h x 4"w x 4.25"d  
*\*Integrated Mechanical Timer Included*



### ADV-TR-LED-150w-1215-SS

Volts: 12-15 / Watts: 150 / Weight 12.2lbs  
Dimensions: 11.5"h x 6"w x 5.5"d  
*\*All Stainless Steel, Photocell + Timer Ready*

### ADV-TR-LED-60w-12v-BK

Volts: 12 / Watts: 60 / Weight 4lbs  
Dimensions: 5.5"l x 3.5"w x 3.5"d

### ADV-TR-LED-100w-12v-BK

Volts: 12 / Watts: 100 / Weight 6lbs  
Dimensions: 7"l x 4"w x 4"d

### ADV-TR-LED-200w-12v-BK

Volts: 12 / Watts: 200 / Weight 12lbs  
Dimensions: 9"l x 5"w x 5"d

- Black Finish
- Built-in Digital Timer
- Built-in Photocell

*\*Black finish LED Transformers not pictured*

### STANDARD TIMER

ADV-TR-T-101

### PHOTOCELL

ADV-TR-PC-102


### DIGITAL ASTRONOMICAL TIMER

ADV-TR-T-105


Visit [www.advantagelightsource.com](http://www.advantagelightsource.com) for additional details on our transformers.

# ACCESSORIES


cast brass mounting bases



brass risers



ground stakes




connectors





Distributed By:



(c) 2015 Advantage Light Source, Inc.  
Specifications herein are subject to change without notice.  
21624 Marilla Street • Chatsworth, CA 91311  
TEL: (818) 407-4300 - FAX: (818) 407-4311

[www.advantagelightsource.com](http://www.advantagelightsource.com)